THEORETICAL AND APPLIED GENETICS

Vol. 77 1989

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: G. Wenzel, Grünbach

L. Alföldi, Szeged
J.S.F. Barker, Armidale
J. Beckmann, Bet Dagan
E.J. Eisen, Raleigh, NC
Yu. Gleba, Kiev
R. Hagemann, Halle/S.
A.R. Hallauer, Ames, IA
Hu Han, Peking
A.L. Kahler, Brookings, SD
G.S. Khush, Manila
H.F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B.R. Murty, New Delhi
P.L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
J.W. Snape, Cambridge
H. Stubbe, Gatersleben
P.M.A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L.D. Van Vleck, Lincoln, NE

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976 and by H. F. Linskens 1977 to 1987 (Vol. 73).

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1989 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Typesetting: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg · Printers: Druckwerkstätten Oskar Zach, D-1000 Berlin 31 · Bookbinding: Buchbinderei Helm, D-1000 Berlin 30

Table of contents

Agache S, Bachelier B, Buyser J de, Henry Y, Snape J: Genetic analysis of anther culture response in wheat using aneuploid, chromosome substitution and translocation lines 7

Ahokas H: Transfection of germinating barley seed electrophoretically with exogenous DNA 469

Andersen B → Jørgensen RB

Anderson OD, Greene FC: The characterization and comparative analysis of high-molecular-weight glutenin genes from genomes A and B of a hexaploid bread wheat 689

Apsit VJ, Nakamura RR, Wheeler NC: Differential male reproductive success in Douglas fir 681

Asins MJ, Carbonell EA: Distribution of genetic variability in a durum wheat world collection 287

Aubry C → Hartmann C

Bachelier B → Agache S

Barrientos E → Sihachakr D

Beiles A → Nevo E

Bennetzen JL → Springer PS

Bergounioux C → Conia J

Bernatzky R, Mau S-L, Clarke AE: A nuclear sequence associated with self-incompatibility in *Nicotiana alata* has homology with mitochondrial DNA 320

Bernon DE → Kuhnlein U

Björklund T → Engström G

Bondesson FL → Lindgren D

Book reviews 152, 304, 352, 394, 456, 560, 568, 608, 668, 680, 760, 888, 904

Boothe JG, Walden DB: Multivariate analyses of polypeptide synthesis in developing maize embryos 495

Bourgin JP → Grandbastien MA

Boussac JM → Courcel AGL de

Braskerud O → Enfield FD

Brears T, Curtis GJ, Lonsdale DM: A specific rearrangement of mitochondrial DNA induced by tissue culture 620

Breiman A, Felsenburg T, Galun E: Is Nor region variability in wheat invariably caused by tissue culture? 809

Brown J, Caligari PDS: Cross prediction in a potato breeding programme by evaluation of parental material 246

Brown S → Conia J

Bryngelsson T → Halldén C

Buyser J de → Agache S

Caboche M → Grandbastien MA

Cai X, Liu D: Identification of a 1B/1R wheat-rye chromosome translocation 81

Caligari PDS → Brown J

Campo JL, Velasco T: Experimental study of the influence of errors of genetic correlation estimates on unrestricted, optimum, and desired gains selection indices 561

Carbonell EA → Asins MJ

Casey R → North H

Catty JP → Nagamine T

Cavallini A, Zolfino C, Natali L, Cionini G, Cionini PG: Nuclear DNA changes within *Helianthus annuus* L.: origin and control mechanism 12

Chandlee JM, Vodkin LO: Unstable expression of a soybean gene during seed coat development 587

Chaput M-H → Sihachakr D

Che R → Mori S

Chen BY, Heneen WK, Simonsen V: Comparative and genetic studies of isozymes in resynthesized and cultivated *Brassica napus* L., *B. campestris* L. and *B. alboglabra* Bailey 673

Chen FQ, Hayes PM: A comparison of *Hordeum bulbosum*-mediated haploid production efficiency in barley using in vitro floret and tiller culture 701

Cheng W → Wang B

Cheung WY, Scott NS: A contiguous sequence in spinach nuclear DNA is homologous to three separated sequences in chloroplast DNA 625

Christey M → Shirzadegan M

Cionini G → Cavallini A

Cionini PG → Cavallini A

Clarke AE → Bernatzky R

Close PS, Shoemaker RC, Keim P: Distribution of restriction site polymorphism within the chloroplast genome of the genus *Glycine*, subgenus *Soja* 768

Cocking EC → Saleh NM

Colleau JJ → Verrier E

Conia J, Muller P, Brown S, Bergounioux C, Gadal P: Monoparametric models of flow cytometric karyotypes with spreadsheet software 295

Connolly V → Douglas GC

Conti S → Landi P

Courcel AGL de, Vedel F, Boussac JM: DNA polymorphism in *Allium cepa* cytoplasms and its implications concerning the origin of onions 793

Crittenden LB → Salter DW

Crittenden LB, Salter DW, Federspiel MJ: Segregation, viral phenotype, and proviral structure of 23 avian leukosis virus inserts in the germ line of chickens 505

Crossa J, Gardner CO: Predicted and realized grain yield responses to full-sib family selection in CIMMYT maize (*Zea mays* L.) populations 33

Crossa J: Methodologies for estimating the sample size required for genetic conservation of outbreeding crops 153

Curtis GJ → Brears T

Dani RG, Kohel RJ: Maternal effects and generation mean analysis of seed-oil content in cotton (*Gossypium hirsutum* L.) 569

Datta SK, Potrykus I: Artificial seeds in barley: encapsulation of microspore-derived embryos 820

Davik J: Assessing three methods for identification of desirable genotypes in white cabbage (*Brassica oleracea* L. var. *capitata*) 777

Dawe Y → Kuhnlein U

De Buyser J → Hartmann C

De Pace C → Mancini R

Delibes A → Mena M

Delre V → Mancini R

Deshayes A → Grandbastien MA

Detrez C, Sangwan RS, Sangwan-Norreel BS: Phenotypic and karyotypic status of *Beta vulgaris* plants regenerated from direct organogenesis in petiole culture 462

Dickman MB, Partridge JE: Use of molecular markers for monitoring fungi involved in stalk rot of corn 535

Dijkhuis P → Pijnacker LP

Domoney C → North H

Douglas GC, Connolly V: Self fertilization and seed set in *Trifolium repens* L. by in situ and in vitro pollination 71

Doyle RW → Phang VPE

Ducreux G → Sihachakr D

Dudits D → Smith MA

Dudley JT → Schaeffer GW

Dweikat IM, Lyrene PM: Production and evaluation of a synthetic hexaploid in blueberry 799

Earle ED → Shirzadegan M

Ehiobu NG, Goddard ME, Taylor JF: Effect of rate of inbreeding on inbreeding depression in *Drosophila melanogaster* 123

Ehiobu NG, Goddard ME: Heterosis in crosses between lines of *Drosophila melanogaster* selected for adaptation to different environments 253

Endrizzi JE → Geever RF

Enfield FD, Braskerud O: Mutational variance for pupa weight in *Tribolium castaneum* 416

Engström G, Liljedahl L-E, Rasmuson M, Björklund T: Expression of genetic and environmental variation during ageing. 1. Estimation of variance components for number of adult offspring in *Drosophila melanogaster* 119

Eriksson T → Waara S

Evans DR, Hill J, Williams TA, Rhodes I: Coexistence and the productivity of white clover-perennial ryegrass mixtures 65

Falkenhagen ER: Relationships between some genetic parameters and test environments in open-pollinated families of *Pinus elliottii* in South Africa 857
Falkenhagen ER: Influences of testing sites on the genetic correlations in open-pollinated family trials of *Pinus elliottii* in South Africa 873
Farooq S → Mujeeb-Kazi A
Federspiel MJ → Crittenden LB
Felsenburg T → Breiman A
Fernando RL → Grossman M
Ferwerda MA → Pijnacker LP
Fix AG → Levin DA
Flanagan MP → Jung YC
Fominaya A → Sánchez de la Hoz P
Ford-Lloyd BV → Nagamine T
Foster JE → Sharma HC
Foulley JL → Verrier E
Franzmann L, Patton DA, Meinke DW: In vitro morphogenesis of arrested embryos from lethal mutants of *Arabidopsis thaliana* 609
Frascaroli E → Landi P
Friedt W → Kaiser R
Fry WE → Spielman LJ

Gadal P → Conia J
Gale MD → Liu CJ
Gallais A: Optimization of recurrent selection on the phenotypic value of doubled haploid lines 501
Galun E → Breiman A
Garcia-Olmedo F → Mena M
Gardner CO → Crossa J
Gauch HG Jr, Zobel RW: Accuracy and selection success in yield trial analyses 473
Gavora JS → Kuhnlein U
Gecheff KI: Position-specific effects in the mutagenic action of mitomycin C on the chromosomes of *Hordeum vulgare* L. 705
Geever RF, Katterman FRH, Endrizzi JE: DNA hybridization analyses of a *Gossypium allotetraploid* and two closely related diploid species 553
Giuliano G → LoSchiavo F
Glimelius K → Sjödin C
Glimelius K → Sjödin Chr
Goddard ME → Ehiobu NG
Goujaud J → Grandbastien MA
Grandbastien MA, Missonier C, Goujaud J, Bourgin JP, Deshayes A, Caboche M: Cellular genetic study of a somatic instability in a tobacco mutant: in vitro isolation of valine-resistant spontaneous mutants 482
Grant WF → Raelson JV
Gray LE → Wilimot DB
Greene FC → Anderson OD
Greyson RI → Pareddy DR
Grinsven MQJM van → Jarl CI
Grossman M, Fernando RL: Covariance between relatives for X-chromosomal loci in a population in disequilibrium 311
Gupta HS → Saleh NM
Gupta RB, Singh NK, Shepherd KW: The cumulative effect of allelic variation in LMW and HMW glutenin subunits on dough properties in the progeny of two bread wheats 57

Haicour R → Sihachakr D
Halldén C, Lind C, Bryngelsson T: Minicircle variation in *Beta* mitochondrial DNA 337
Halloran GM → Lagudah ES
Hartmann C, Henry Y, De Buyser J, Aubry C, Rode A: Identification of new mitochondrial genome organizations in wheat plants regenerated from somatic tissue cultures 169
Hasegawa H → Mori S
Havey MJ, Muehlbauer FJ: Linkages between restriction fragment length, isozyme, and morphological markers in lentil 395
Havey MJ, Muehlbauer FJ: Variability for restriction fragment lenghts and phylogenies in lentil 839
Hayes PM → Chen FQ
Heino P → Lång V
Heneen WK → Chen BY
Henry Y → Agache S
Henry Y → Hartmann C
Hickok LG, Schwarz OJ: Genetic characterization of a mutation that enhances paraquat tolerance in the fern *Ceratopteris richardii* 200
Hill J → Evans DR
Hu H → Tao YZ

Iakobashvili ZA → Metakovsky EV
Ichikawa H, Tanno-Suenaga L, Imamura J: Mitochondrial genome diversity among cultivars of *Daucus carota* (ssp. *sativus*) and their wild relatives 39
Imamura J → Ichikawa H
Islam MR, Shepherd KW, Mayo GME: Recombination among genes at the *L* group in flax conferring resistance to rust 540

Jackson RC → Shang XM
James MG, Stadler J: Molecular characterization of *Mutator* systems in maize embryogenic callus cultures indicates *Mu* element activity in vitro 383
Jarl CI, Grinsven MQJM van, Mark F van den: Correction of chlorophyll-defective male-sterile winter oilseed rape (*Brassica napus*) through organelle exchange: molecular analysis of the cytoplasm of parental lines and corrected progeny 135
Jørgensen RB, Andersen B: Karyotype analysis of regenerated plants from callus cultures of interspecific hybrids of cultivated barley (*Hordeum vulgare* L.) 343
Jung YC, Rothschild MF, Flanagan MP, Pollak E, Warner CM: Genetic variability between two breeds on restriction fragment length polymorphisms (RFLPs) of major histocompatibility complex class I genes in the pig 271

Kaiser R, Friedt W: Chromosomal location of resistance to Barley Yellow Mosaic Virus in German winter-barley identified by trisomic analysis 241
Kakes P: An analysis of the costs and benefits of the cyanogenic system in *Trifolium repens* L. 111
Katterman FRH → Geever RF
Kearsey MJ → Werner CP
Keim P → Close PS
Keim P, Shoemaker RC, Palmer RG: Restriction fragment length polymorphism diversity in soybean 786
Kohel RJ → Dani RG
Komamine A → Ozawa K
Komari T, Saito Y, Nakakido F, Kumashiro T: Efficient selection of somatic hybrids in *Nicotiana tabacum* L. using a combination of drug-resistance markers introduced by transformation 547
Krishna Rao M, Uma Devi K: Allelic relationship of four male sterility genes and nucleo-cytoplasmic interactions in the expression of male sterility in pearl millet, *Pennisetum americanum* (L.) Leeke 576
Kubba J → Werner CP
Kudryavtsev AM → Metakovsky EV
Kuhnlein U, Dawe Y, Zadworny D, Gavora JS: DNA fingerprinting: a tool for determining genetic distances between strains of poultry 669
Kuhnlein U, Gavora JS, Spencer JL, Bernon DE, Sabour M: Incidence of endogenous viral genes in two strains of White Leghorn chickens selected for egg production and susceptibility or resistance to Marek's disease 26
Kumashiro T → Komari T

Lagudah ES, Halloran GM: Phylogenetic relationships of *Triticum tauschii*, the D genome donor to hexaploid wheat. 3. Variation in, and the genetics of, seed esterases (*Est-5*) 851
Landi P, Frascaroli E, Tuberosa R, Conti S: Comparison between responses to gametophytic and sporophytic recurrent selection in maize (*Zea mays* L.) 761
Lång V, Heino P, Palva ET: Low temperature acclimation and treatment with exogenous abscisic acid induce common polypeptides in *Arabidopsis thaliana* (L.) Heynh 729
Leach CR → Mayo O

Lee SH, Muthukrishnan S, Sorensen EL, Liang GH: Restriction endonuclease analysis of mitochondrial DNA from sorghum with fertile and male-sterile cytoplasms 379
Lelley T → Ren ZL
Lemaître PC → Raelson JV
Levin DA, Fix AG: A model of kin-migration in plants 332
Li D-D → Wang B
Li Y-N → Wang B
Liang GH → Lee SH
Libby WS → Lindgren D
Liljedahl L-E → Engström G
Lind C → Halldén C
Lindgren D, Libby WS, Bondesson FL: Deployment to plantations of numbers and proportions of clones with special emphasis on maximizing gain at a constant diversity 825
Lister RM → Sharma HC
Liu CJ, Gale MD: *Ibf-1* (Iodine binding factor), a highly variable marker system in the *Triticeae* 233
Liu D → Cai X
Lonsdale DM → Brears T
Lopez-Braña I → Mena M
LoSchiavo F, Pitto L, Giuliano G, Torti G, Nuti-Ronchi V, Marazziti D, Vergara R, Orselli S, Terzi M: DNA methylation of embryogenic carrot cell cultures and its variations as caused by mutation, differentiation, hormones and hypomethylating drugs 325
Luedders VD: Relationship of cyst nematode gene frequencies to soybean resistance 893
Lyrene PM → Dweikat IM

Mancini R, De Pace C, Scarascia Mugnozza GT, Delre V, Vittori D: Isozyme gene markers in *Vicia faba* L. 657
Marazziti D → LoSchiavo F
Marchais L → Tostain S
Mark F van den → Jarl CI
Mau S-L → Bernatzky R
Mayo GME → Islam MR
Mayo O, Leach CR: Quantitatively determined self-incompatibility. 1. Theoretical considerations 375
McMaster BJ → Spielman LJ
Meinke DW → Franzmann L
Mena M, Orellana J, Lopez-Braña I, Garcia-Olmedo F, Delibes A: Biochemical and cytological characterization of wheat/*Aegilops ventricosa* addition and transfer lines carrying chromosome $4M^{v}$ 184
Metakovsky EV, Kudryavtsev AM, Iakobashvili ZA, Novoselskaya A Yu: Analysis of phylogenetic relations of durum, carthlicum and common wheats by means of comparison of alleles of gliadin-coding loci 881
Mišević D: Evaluation of three test statistics used to identify maize inbred lines with new favorable alleles not present in elite single cross 402
Missonier C → Grandbastien MA
Mori K → Yang Z-Q
Mori S, Hasegawa H, Che R, Nakanishi H, Murakami M: Free proline contents in two different groups of rice mutants resistant to hydroxy-L-proline 44
Mosjidis JA, Waines JG, Yermanos DM, Rosielle AA: Methods for the study of cytoplasmic effects on quantitative traits 195
Muehlbauer FJ → Havey MJ
Mujeeb-Kazi A, Roldan S, Suh DY, Ter-Kuile N, Farooq S: Production and cytogenetics of *Triticum aestivum* L. hybrids with some rhizomatous *Agropyron* species 162
Muller P → Conia J
Mulligan BJ → Saleh NM
Murakami M → Mori S
Muthukrishnan S → Lee SH
Mutry BR, Oropeza F: Diversity pattern in *Sesamum* mutants selected for a semi-arid cropping system 275

Nagamine T, Catty JP, Ford-Lloyd BV: Phenotypic polymorphism and allele differentiation of isozymes in fodder beet, multigerm sugar beet and monogerm sugar beet 711
Nakakido F → Komari T
Nakamura RR → Apsit VJ
Nakanishi H → Mori S
Namkoong G → Roberds JH
Natali L → Cavallini A
Neale DB, Sederoff RR: Paternal inheritance of chloroplast DNA and maternal inheritance of mitochondrial DNA in loblolly pine 212
Nelsen TC → Wilson CM
Nevo E, Beiles A: Genetic diversity of wild emmer wheat in Israel and Turkey. Structure, evolution, and application in breeding 421
Nguyen HT → Shang XM
Nickell CD → Willmot DB
Nishibayashi S → Yamashita Y
North H, Casey R, Domoney C: Inheritance and mapping of seed lipoxygenase polypeptides in *Pisum* 805
Novoselskaya A Yu → Metakovsky EV
Nuti-Ronchi V → LoSchiavo F

Ohm HW → Sharma HC
Orellana J → Mena M
Oropeza F → Mutry BR
Orselli S → LoSchiavo F
Ozawa K, Komamine A: Establishment of a system of high-frequency embryogenesis from long-term cell suspension cultures of rice (*Oryza sativa* L.) 205

Palmer JD → Shirzadegan M
Palmer RG → Keim P
Palva ET → Lång V
Pareddy DR, Greyson RI, Walden DB: Production of normal, germinable and viable pollen from in vitro-cultured maize tassels 521
Paroda RS → Srivastava RB
Partridge JE → Dickman MB
Patton DA → Franzmann L
Pauls KP → Siebel J
Pay A → Smith MA
Petolino JF → Wan Y
Phang VPE, Doyle RW: Analysis of early growth of guppy strains, *Poecilia reticulata*, with different color patterns 645
Pijnacker LP, Sree Ramulu K, Dijkhuis P, Ferwerda MA: Flow cytometric and karyological analysis of polysomaty and polyploidization during callus formation from leaf segments of various potato genotypes 102
Pitto L → LoSchiavo F
Plaha P, Sethi GS: Comparative performance of bread wheat and hexaploid triticale cytoplasms 685
Pollak E → Jung YC
Potrykus I → Datta SK

Raelson JV, Grant WF: An isoenzyme study in the genus *Lotus* (Fabaceae). Experimental protocols and genetic basis of electrophoretic phenotype 595
Raelson JV, Lemaître PC, Starkie KM, Grant WF: An isoenzyme study in the genus *Lotus* (Fabaceae). Segregation of isoenzyme alleles in synthetic allo- and autotetraploids, and in *L. corniculatus* 360
Rasmuson M → Engström G
Ren ZL, Lelley T: Hybrid necrosis in triticale and the expression of necrosis genes in allopolyploids 742
Rhodes I → Evans DR
Roberds JH, Namkoong G: Population selection to maximize value in an environmental gradient 128
Rode A → Hartmann C
Roldan S → Mujeeb-Kazi A
Rosielle AA → Mosjidis JA
Rossignol L → Sihachakr D
Rothschild MF → Jung YC

Sabour M → Kuhnlein U
Saito Y → Komari T
Saleh NM, Mulligan BJ, Cocking EC, Gupta HS: Small mitochondiral DNA molecules of wild abortive cytoplasm in rice are not necessarily associated with CMS 617
Salter DW → Crittenden LB
Salter DW, Crittenden LB: Artificial insertion of a dominant gene for resistance to avian leukosis virus into the germ line of the chicken 457
Sánchez de la Hoz P, Fominaya A: Studies of isozymes in oat species 735

Sangwan RS → Detrez C
Sangwan-Norreel BS → Detrez C
Santiago E: Time of detection of recessive genes: effects of system of mating and number of examined individuals 867
Scarascia Mugnozza GT → Mancini R
Schaeffer GW, Sharpe Jr FT, Dudley JT: Segregation for endosperm lysine in F_2, F_3 and F_4 progeny from a cross of in vitro-selected and unselected cultivar of rice 176
Schwarz OJ → Hickok LG
Scott NS → Cheung WY
Sederoff RR → Neale DB
Sethi GS → Plaha P
Setter AP → Werner CP
Shang XM, Nguyen HT, Jackson RC: Heterochromatin differentiation and phylogenetic relationship of the A genomes in diploid and polyploid wheats 84
Sharma HC, Ohm HW, Lister RM, Foster JE, Shukle RH: Response of wheatgrasses and wheat x wheatgrass hybrids to barley yellow dwarf virus 369
Sharma SC → Srivastava RB
Sharpe Jr FT → Schaeffer GW
Shepherd KW → Gupta RB
Shepherd KW → Islam MR
Shereif NAK → Skibinski DOF
Shikanai T → Yang Z-Q
Shimamoto K → Yamashita Y
Shirzadegan M, Christey M, Earle ED, Palmer JD: Rearrangement, amplification, and assortment of mitochondrial DNA molecules in cultured cells of *Brassica campestris* 17
Shoemaker RC → Close PS
Shoemaker RC → Keim P
Shukle RH → Sharma HC
Siebel J, Pauls KP: Inheritance patterns of erucic acid content in populations of *Brassica napus* microspore-derived spontaneous diploids 489
Sihachakr D, Haicour R, Chaput M-H, Barrientos E, Ducreux G, Rossignol L: Somatic hybrid plants produced by electrofusion between *Solanum melongena* L. and *Solanum torvum* Sw 1
Simonsen V → Chen BY
Simpson SP: Detection of linkage between quantitative trait loci and restriction fragment length polymorphisms using inbred lines 815
Singh NK → Gupta RB
Sjödin C, Glimelius K: *Brassica naponigra*, a somatic hybrid resistant to *Phoma lingam* 651
Sjödin Chr, Glimelius K: Differences in response to the toxin sirodesmin PL produced by *Phoma lingam* (Tode ex Fr.) Desm. on protoplasts, cell aggregates and intact plants of resistant and susceptible *Brassica* accessions 76
Skibinski DOF, Shereif NAK: Directional selection in lines founded from different parts of the phenotypic distribution of sternopleural chaetae number in *Drosophila melanogaster* 409
Smith BM → Werner CP
Smith MA, Pay A, Dudits D: Analysis of chloroplast and mitochondrial DNAs in asymmetric somatic hybrids between tobacco and carrot 641
Snape J → Agache S
Sorensen EL → Lee SH
Spencer JL → Kuhnlein U
Spielman LJ, McMaster BJ, Fry WE: Dominance and recessiveness at loci for virulence against potato and tomato in *Phytophthora infestans* 832
Sprague GF → Wilson CM
Springer PS, Zimmer EA, Bennetzen JL: Genomic organization of the ribosomal DNA of sorghum and its close relatives 844
Sree Ramulu K → Pijnacker LP
Srivastava RB, Paroda RS, Sharma SC, Yunus Md: Genetic variability and advance under four selection procedures in wheat pedigree breeding programme 516
Stadler J → James MG
Starkie KM → Raelson JV
Suh DY → Mujeeb-Kazi A

Tanksley SD → Young ND
Tanno-Suenaga L → Ichikawa H
Tao YZ, Hu H: Recombination of R-D chromosome in pollen plants cultured from hybrid of 6x *Triticale* x common wheat 899
Taylor JF → Ehiobu NG
Tegelström H → Waara S
Ter-Kuile N → Mujeeb-Kazi A
Terada R → Yamashita Y
Terzi M → LoSchiavo F
Torti G → LoSchiavo F
Tostain S, Marchais L: Enzyme diversity in pearl millet (*Pennisetum glaucum*). 2. Africa and India 634
Tuberosa R → Landi P
Tyson H: Genetic control of seed weight in flax (*Linum usitatissimum*) and possible implications 260

Uma Devi K → Krishna Rao M

Van Dijk H: Genetic variability in *Plantago* species in relation to their ecology. 4. Ecotypic differentiation in *P. major* 749
Vedel F → Courcel AGL de
Velasco T → Campo JL
Vergara R → LoSchiavo F
Verrier E, Colleau JJ, Foulley JL: Effect of mass selection on the within-family genetic variance in finite populations 142
Vittori D → Mancini R
Vodkin LO → Chandlee JM

Waara S, Tegelström H, Wallin A, Eriksson T: Somatic hybridization between anther-derived dihaploid clones of potato (*Solanum tuberosum* L.) and the identification of hybrid plants by isozyme analysis 49
Waines JG → Mosjidis JA
Walden DB → Boothe JG
Walden DB → Pareddy DR
Wallin A → Waara S
Wan Y, Petolino JF, Widholm JM: Efficient production of doubled haploid plants through colchicine treatment of anther-derived maize callus 889
Wang B, Cheng W, Li Y-N, Li D-D: Some physicochemical properties of rice mitochondrial DNA 581
Warner CM → Jung YC
Werner CP, Setter AP, Smith BM, Kubba J, Kearsey MJ: Performance of recombinant inbred lines in Brussels sprouts (*Brassica oleracea* var. *gemmifera*) 527
Wheeler NC → Apsit VJ
Widholm JM → Wan Y
Widholm JM → Willmot DB
Williams TA → Evans DR
Willmot DB, Nickell CD, Widholm JM, Gray LE: Evaluation of soybean resistance to *Phialophora gregata* culture filtrate in tissue culture 227
Wilson CM, Sprague GF, Nelsen TC: Linkages among zein genes determined by isoelectric focusing 217
Wong CK: A new approach to chromosome doubling for haploid rice plants 149

Yamada Y → Yang Z-Q
Yamashita Y, Terada R, Nishibayashi S, Shimamoto K: Asymmetric somatic hybrids of *Brassica:* partial transfer of *B. campestris* genome into *B. oleracea* by cell fusion 189
Yang Z-Q, Shikanai T, Mori K, Yamada Y: Plant regeneration from cytoplasmic hybrids of rice (*Oryza sativa* L.) 305
Yermanos DM → Mosjidis JA
Young ND, Tanksley SD: Restriction fragment length polymorphism maps and the concept of graphical genotypes 95
Young ND, Tanksley SD: RFLP analysis of the size of chromosomal segments retained around the *TM-2* locus of tomato during backcross breeding 353
Yunus Md → Srivastava RB

Zadworny D → Kuhnlein U
Zaman MW: Introgression in *Brassica napus* for adaptation to the growing conditions in Bangladesh 721
Zimmer EA → Springer PS
Zobel RW → Gauch HG Jr
Zolfino C → Cavallini A

Acknowledgements

The editors wish to thank the following referees for their assistance in selection and evaluation of manuscripts submitted

R. Baker (Ottawa, Canada)
J. R. Ballington (Raleigh, USA)
R. G. Banks (Armidale, Australia)
R. Barlow (Grafton, Australia)
M. Beckert (Cermont-Ferrand, France)
W. C. Bridges (Clemson, USA)
N. V. Borisyuk (Kiev, USSR)
T. Börner (Berlin, DDR)
F. J. de Bruijn (Köln, FRG)
G. Bulfield (Midlothian, UK)
B. Burr (New York, USA)
S. C. Carmer (Urbana, USA)
M. Carlone (Slater, USA)
D. E. Cowley (Raleigh, USA)
L. B. Crittenden (East Lansing, USA)
A. D. Draper (Beltsville, USA)
D. Dudits (Szeged, Hungary)
H. H. Ellingboe (Madison, USA)
F. D. Enfield (St. Paul, USA)
R. W. Fairfull (Ottawa, Canada)
L. Ferenczy (Szeged, Hungary)
V. R. Ferris (Indiana, USA)
B. Foroughi-Wehr (Grünbach, FRG)
R. Frankham (North Ryde, Australia)
W. Friedt (Gießen, FRG)
C. W. Friars (St. Andrews, Canada)
G. Galili (Rehovot, Israel)
C. O. Gardner (Nebraska, USA)
C. Gebhardt (Köln, FRG)
H. H. Geiger (Hohenheim, FRG)
A. Gremder (Ottawa, Canada)
J. F. Hancock (East Lansing, USA)
J. P. Hanrahah (Belclare, Ireland)
W. G. Hill (Edinburgh, UK)
R. F. Hanneman (Madison, USA)
T. Helms (Fargo, USA)
R. G. Herrmann (München, FRG)
K. Hosaka (Madison, USA)
T. Hymowitz (Urbana, USA)
I. I. Ilyenko (Kiev, USSR)
J. W. James (Kensington, Australia)
D. L. Johnson (Ruakura, New Zealand)
G. R. Johnson (Thomasboro, USA)
L. P. Jones (Melbourne, Australia)
P. Y. Jui (Gloucester, Canada)
C. Jung (München, FRG)
G. B. Kiss (Szeged, Hungary)
S. J. Knapp (Corvallis, USA)
A. Kuchko (Kiev, USSR)
U. Kuhlmann (Grünbach, FRG)
V. A. Kunach (Kiev, USSR)
S. S. Martin (Columbus, USA)
F. Minvielle (Quebec, Canada)
R. H. Moll (Raleigh, USA)
W. M. Muir (Lafayette, USA)
G. Namkoong (Raleigh, USA)
V. Negruk (Moscow, USSR)
W. E. Nyquist (Lafayette, USA)
T. Osborn (Madison, USA)
R. G. Palmer (Iowa, USA)
G. Pelletier (Versailles, France)
R. Phillips (Minnesota, USA)
N. Polans (Urbana, USA)
L. Pollak (Ames, USA)
H. S. Pooni (Birmingham, UK)
C. O. Qualset (California, USA)
S. O. Rogers (Seattle, USA)
B. Schaal (Missouri, USA)
L. Schlumukov (Kiev, USSR)
S. Schmutz (Saskatoon, Canada)
B. Schöber (Braunschweig, FRG)
P. Sharp (Cambridge, UK)
A. K. Sheridan (Armidale, Australia)
R. Shuman (Raleigh, USA)
V. Sidorov (Kiev, USSR)
P. W. Simon (Madison, USA)
O. S. Smith (Johnston, USA)
S. Smith (Armidale, Australia)
S. Smith (Iowa, USA)
A. Sozinov (Kiev, USSR)
G. Stacey (Köln, FRG)
S. P. Vander Kloet (Wolfville, Canada)
H. Walther (Grünbach, FRG)
C. Wehrhahn (Brit. Columbia, USA)
R. Wiermann (Münster, FRG)
J. W. Wilton (Guelph, Canada)
B. H. Yoo (Sydney, Australia)
D. Zamir (Rehovot, Israel)
J. Zitzlsperger (Grünbach, FRG)

as well as the assistance of Mrs. Kathy Seaman at the editorial office